

ÇATI FANLARI ROOF FANS

UVS-KO-C AKSİYEL ÇATI FANI UVS-KO-C AXIAL ROOF FAN



ÜRÜN HAKKINDA DETAYLI BİLGİ ALMAK İÇİN
WEB SİTEMİZİ ZİYARET EDEBİLİRSİNİZ.
YOU CAN VISIT OUR WEBSITE TO GET DETAILED
INFORMATION ABOUT THE PRODUCT.

www.uvents.com.tr




ÜRÜN DETAY TABLOSU / PRODUCT DETAIL TABLE

Model	Voltaj (V)	Akım (A)	Power (kW)	RPM (d/d)	Airflow (m ³ /h)	Ses dB(A)	Ağırlık (Kg)
UVS-KO-C-400	230\380	0.50	0.37	1.400	3.500	62	38
UVS-KO-C-450	230\380	0.75	0.55	1.400	4.400	69	42
UVS-KO-C-500	230\380	0.90	0.55	1.400	6.000	72	44
UVS-KO-C-560	230\380	1.40	0.75	1.400	8.200	75	48
UVS-KO-C-630	230\380	2	1.1	1.400	14.000	80	60
UVS-KO-C-710	230\380	2.50	1.5	1.400	20.000	83	73
UVS-KO-C-800/A	230\380	4	2.2	1.400	26.000	89	85
UVS-KO-C-800/B	230\380	5.70	3	1.400	32.000	90	91
UVS-KO-C-900/A	380	7.80	4	1.400	40.000	94	95
UVS-KO-C-900/B	380	10	5.5	1.400	48.000	94	96
UVS-KO-C-900/C	380	21	11	1.400	49.000	97	108
UVS-KO-C-1000/A	380	14.80	7.5	1.400	56.000	99	99
UVS-KO-C-1000/B	380	29	15	1.400	65.000	100	108
UVS-KO-C-1000/C	380	36	18.5	1.400	73.000	102	125
UVS-KO-C-1120/A	380	43	22	1.400	90.000	104	128
UVS-KO-C-1120/B	380	59	30	1.400	100.000	104	137

ÖZELLİKLER / SPECIFICATIONS

Yalıtım Sınıfı Insulation Class	Koruma Sınıfı Protection Class	Frekans H2
F Class	IP 55	50Hz
Gövde ve Pervane Malzemesi Body Material & Impeller Material	Çalışma Sıcaklığı Working Temperature	Verimlilik Sınıfı Efficiency Class
DKP Steel Sheet Alüminyum / Aluminium	-20 / +50 °C	IE2 / IE3

ÜRÜN DETAY ÇİZİMİ / PRODUCT DETAIL DRAWING



KULLANIM ALANLARI / AREAS OF USAGE

- Endüstriyel tesislerde / Industrial plants
- Etkili emiş gerektiren çatı ve bacalarda / On roof and chimneys that require effective aspiration
- Yüksek hava debisinde çalışabilme / High air flow rate

- Suitable for industrial facilities kitchen and other places where strong aspiration needed.
- All model incorporate direct-drive backward curved centrifugal impeller.
- It can work without maintenance for a long time.

ÜRÜN DETAY TABLOSU / PRODUCT DETAIL TABLE








Model	A	B	D
UVS-KO-C-400	450	450	400
UVS-KO-C-450	500	500	450
UVS-KO-C-500	550	550	500
UVS-KO-C-560	600	600	560
UVS-KO-C-630	650	650	630
UVS-KO-C-710	800	800	710
UVS-KO-C-800	900	900	800
UVS-KO-C-900	1.000	1.000	900
UVS-KO-C-1000	1.150	1.150	1.000
UVS-KO-C-1120	1.250	1.250	1.120

* Yukarıdaki tablodan yazan veriler mm cinsinden belirtilmiştir. All dimensions are in mm.

UVS-KO-A, UVS-KO-H, UVS -A, UVS-KO-C PERFORMANS GRAFİKLERİ

UVS-KO-A, UVS-KO-H, UVS -A, UVS-KO-C PERFORMANCE GRAPHICS

UVENTS



UVS-KO-A, UVS-KO-H, UVS -A, UVS-KO-C PERFORMANS GRAFİKLERİ

UVS-KO-A, UVS-KO-H, UVS -A, UVS-KO-C PERFORMANCE GRAPHICS

