





Ośrodek Badań, Atestacji i Certyfikacji Sp. z o.o. 44-121 Gliwice, ul. Łabędzka 21

### **TYPE EXAMINATION CERTIFICATE** (1)

(Translation)

- (2) Equipment, components and protective systems intended for use in potentially explosive atmospheres. Directive 2014/34/EU of the European Parliament and of the Council of 26 February 2014.
- (3) Type examination certificate No:

**OBAC 19 ATEX 0321X** 

(4) Product:

Centrifugal fan type: ELF-.... 2G...

(5) Manufacturer:

Venture Industries Sp. z o.o.

(6) Address:

ul. Mokra 27, 05-092 Łomianki-Kiełpin

- (7) This equipment, component or protective system and any of its approved version is specified in this certificate and in documents listed in p. 19.
- (8) Ośrodek Badań Atestacji i Certyfikacji OBAC Sp. z o.o. (The Institute for Research and Certification "OBAC" Ltd) certifies that this equipment, component or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment, component or protective systems intended for use in potentially explosive atmospheres given in Annex II to the European Council Directive 2014/34/EU. The examination and test results are recorded in the confidential report No. OBAC/19/ATEX/0321.
- (9) Compliance with the Safety Requirements has been assured by conformity with:

PN-EN ISO 80079-36:2016-07 (EN ISO 80079-36:2016)

PN-EN ISO 80079-37:2016-07 (EN ISO 80079-37:2016)

PN-EN 14986:2017-02 (EN 14986:2017)

- (10) If the sign "X" is placed after the certificate number, it indicates that the product concerned is subject to special conditions for safe use specified in the schedule to this certificate.
- (11) This certificate is valid from 18.12.2019 until 17.12.2024 and relates only to the design, assessment and tests of the specified equipment according to the Directive 2014/34/EU. The certificate does not apply to further requirements of the Directive relating to the manufacture and placing on the market of this equipment.
- (12) The marking of the equipment, component or protective system must include the following:

Ex h IIB T3 Gb

Ex h IIB T4 G

OBAC

by proxy of Certification Body Manager

Zbigniew Tarmawski M. Sc.

Gliwice, 18 December 2019. Druk nr OBAC/PO-6/F3

Strona 1 z 3







# Ośrodek Badań, Atestacji i Certyfikacji Sp. z o.o. 44-121 Gliwice, ul. Łabędzka 21

(13)

## **SCHEDULE**

(14)

# to the Type Examination Certificate no. OBAC 19 ATEX 0321X

### (15) Ex Product description:

Centrifugal fans type ELF are driven directly by a motor installed to the fan structure, located outside of the pressure area, with direct cooling on the motor shaft. The device constitutes a set of mechanical and electrical components with Ex designation, as well as of additional electrical elements. Depending on the model, the revolution speed of the fan is adjusted by changing the voltage frequency.

### Marking:

ELF-a-bc d, x, y, z, v, AP

### whereas:

ELF - fan type

a – number of poles and gears

b – fan size (97, 108, 120, 133, 146, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450)

c – number of phases (S - single-phase, T – tri-phase)

d – device category (2G or 2D)

x - fan figure (LG..., RD...)

y – fan voltage (230V, 230/400V, 400V, 440V, 480V, 400/690V, 265/460V, 460V)

z – fan frequency (50 Hz, 60 Hz)

v – inverter control (VFD)

AP - stainless version

The fans use electric motors with a temperature class adapted to the temperature class of the fan that have the following certificates:

EPT 17 ATEX 2588 X;
OBAC 14 ATEX 0048X;
KDB 15ATEX0082X;
CESI 13 ATEX 007 X /01;
PTB 18 ATEX 3005;
PTB 18 ATEX 3008;
PTB 18 ATEX 3011;
Baseefa02ATEX0017X;
Baseefa02ATEX0023X;
Baseefa02ATEX0018X;
Baseefa02ATEX0024X;

EUM1 12 ATEX 0744; OBAC 15 ATEX 0114X; CESI 05 ATEX 110 X /06; FTZU 13 ATEX 0054; PTB 18 ATEX 3006; PTB 18 ATEX 3009; Baseefa02ATEX0013X; Baseefa02ATEX0019X; Baseefa02ATEX0014X; Baseefa02ATEX0020X; OBAC 14 ATEX 0047X; OBAC 16 ATEX 0118X; CESI 13 ATEX 008 X /01; CNEX 17 ATEX 0004 X; PTB 18 ATEX 3007; PTB 18 ATEX 3010; Baseefa02ATEX0015; Baseefa02ATEX0021X; Baseefa02ATEX0016X; Baseefa02ATEX0022X;









# Ośrodek Badań, Atestacji i Certyfikacji Sp. z o.o. 44-121 Gliwice, ul. Łabędzka 21

(13)

## **SCHEDULE**

(14)

# to the Type Examination Certificate no. OBAC 19 ATEX 0321X

#### Rated data:

Rated data of fans are presented in the manufacturer's documentation, referred to in item 19.

- (16) Centrifugal fan type: ELF-...- 2G... meet the requirements for devices with explosion proof design and may be used as a device of group II, category 2G.
- (17) Special conditions for safe operation:
  - The fan structure in the installation point should be grounded in order to ensure outflow of static charges.
  - Electrical motors of the fan should be protected from short-circuits and overloads in accordance with the requirements of the standard PN-EN 60204-1.
  - Permissible ambient temperature range of the device and of the medium on the fan intake is -20°C to +60°C or smaller, in accordance with the rating plate and temperature class of the used electrical motor.
- (18) The compliance with Safety Requirements has been assured by compliance with standards shown in p.9 of this certificate.
- (19) List of agreed documentation:
  - Use and installation manual of centrifugal fans type ELF-...
    - EN II 2G Ex h IIB T3 Gb
    - (Ex) II 2G Ex h IIB T4 Gb

Instruction no. ELF-2019-V1 prepared by Venture Industries Sp. z o.o. shall prevail from 15.11.2019.

- Project documentation, directive: 2014/34/EU. Centrifugal fans ELF.
  - Ex II 2G Ex h IIB T3 Gb
  - € II 2G Ex h IIB T4 Gb

Document version: DP/ELF/2019 prepared by Venture Industries Sp. z o.o. shall prevail from 15.11.2019.





(1)





# Ośrodek Badań, Atestacji i Certyfikacji Sp. z o.o. 44-121 Gliwice, ul. Łabędzka 21

Schedule No. 1

to

## the certificate No. OBAC 19 ATEX 0321X

(2) Equipment, products and protective systems intended for use in Potentially Explosive Atmospheres. Directive 2014/34/EU of the European Parliament and of the Council of 26 February 2014.

(3) Product:

Centrifugal fan type: ELF-...- 2G...

(4) Manufacturer:

Venture Industries Sp. z o.o.

(5) Address:

ul. Mokra 27, 05-092 Łomianki-Kiełpin

(6) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

PN-EN ISO 80079-36:2016-07

PN-EN ISO 80079-37:2016-07

PN-EN 14986:2017-02

(EN ISO 80079-36:2016)

(EN ISO 80079-37:2016)

(EN 14986:2017)

(7) Description of changes:

The change concerns extension of the number of types of electric motors used in fans and the update of their certificates, resulting from the introduction of the requirements of Commission Regulation (EU) 2019/1781 of October 1, 2019. The Ex marking of these motors does not change or is updated, and the new motors differ only in their efficiency class. Motors with the current IE1 efficiency class can still be used in fans. Changing to a motor with a different efficiency class takes place without interfering with the fan's structure and does not affect the risk of fan ignition.

In the ELF series of fans, electric motors with a temperature class adapted to the temperature class of the fans are approved for use, and have the following certificates:

JSHP 23 ATEX 0005X	OBAC 14 ATEX 0047X	CESI 03 ATEX 280X	CNEX 17 ATEX 0004X
KDB 21 ATEX 0030X	OBAC 14 ATEX 0048X	CESI 05 ATEX 110X	BVS 14 ATEX E 082
KDB 21 ATEX 0035X	OBAC 15 ATEX 0114X	LCIE 19 ATEX 3027X	PTB 12 ATEX 3018
KDB 21 ATEX 0024X	OBAC 16 ATEX 0118X	LCIE 19 ATEX 3028X	FTZU 15 ATEX 0083
KDB 21 ATEX 0016X	TÜV IT 14 ATEX 050X	LCIE 19 ATEX 3029X	DMT 01 ATEX E 014X
KDB 20 ATEX 0042X	TUV IT 14 ATEX 065X	LCIE 19 ATEX 3030X	INERIS 17 ATEX 0001X
KDB 21 ATEX 0013X	CESI 13 ATEX 008X	LCIE 19 ATEX 3031X	INERIS 22 ATEX 0025X
EPT 17 ATEX 2588X	CESI 13 ATEX 007X	DEMKO 20 ATEX 2248X	EESF 23 ATEX 005X
EPT 19 ATEX 3409X		MARK STATES	



Head of Certification Body

Piotr Tarnawski M. Com.

Gliwice, 23 January 2024.



(1)



# Ośrodek Badań, Atestacji i Certyfikacji Sp. z o.o. 44-121 Gliwice, ul. Łabędzka 21

## Schedule No. 1 to the certificate No. OBAC 19 ATEX 0321X

#### Rated data:

The rated data of the fans is presented in the manufacturer's documentation specified in the assessment report no. OBAC/23/ATEX/0512/1.

(8) Explosion proof design is confirmed in the confidential product assessment report: OBAC/23/ATEX/0512/1.

The introduced changes meet the requirements for equipment of group II category 2G.

The explosion-proof product marking, depending on the used electric motor and gas or dust explosion atmosphere, may be as follows:

€ II 2G Ex h IIB T3 Gb

🕃 II 2G Ex h IIB T4 Gb

- (9) Specific conditions of use:
  - No change compared to certificate no. OBAC 19 ATEX 0321X.
- (10) Technical documentation:

The technical documentation is specified in the confidential report no: OBAC/23/ATEX/0512/1.

This Annex to the Certificate is applicable in the period from 23.01.2024 until 17.12.2024 and concerns solely the specimen of the product having identical characteristics (parameters) to the specimen supplied for the assessment and compliant with the requirements specified in item 6 hereof.

